



TEX-LFP™ 7-12 Expansion Joint Material

A LAMINATED PTFE/FIBERGLASS COMPOSITE ENGINEERED FOR SEVERE, CORROSIVE, CONDITIONS


TEX-LFP™ 7-12 Expansion Joint Material:

When CrossFilm™ is laminated to TEXCOAT™, the resulting material is TEX-LFP™, the most successful PTFE expansion joint product line in history. The CrossFilm barrier is made up solely of PTFE resins. A number of high strength plies of proprietary PTFE film are cross-plyed, then laminated, concluding in a chemical liner with multi-directional strength and exceptional durability. The TEXCOAT Expansion Joint Product consists of a high strength fiberglass textile with a uniform, penetrating, PTFE coating.

TEXCOAT 700, a 700 lb/in (6129 N/50 mm) PTFE/fiberglass composite, is laminated to CrossFilm 2112, a 0.012" (0.30 mm) thick chemical barrier. The result is TEX-LFP 7-12, an expansion joint material possessing the exceptional, impervious, properties of the CrossFilm barrier and the ruggedness of the TEXCOAT load bearing component. It is this unique combination that has made TEX-LFP the world's most popular choice for PTFE expansion joint products for the last 20 years.



CrossFilm™ Technology: Breakthrough technology now permits thick PTFE liners to be used in expansion joint service without the fear of stress cracking due to severe operating conditions. As witnessed by



the chart, CrossFilm™ is a different perfluoroplastic altogether. It is easy to see why one judge for Chemical Processing's Vaaler Award concluded, "This is the first major improvement in the fluoroplastic industry since its introduction some 40-odd years ago."

TEX-LFP™ 7-12 PROPERTIES

Materials of Construction:	Woven Fiberglass; Fluoropolymer Resins
Upper Use Temperature:	600°F (316°C) Continuous
Weight:	51 oz/yd ² (1734 g/m ²)
Thickness:	0.043" (1.09 mm)
Width:	60" (1524 mm) Special Widths Available
Tensile Strength (Warp):	700 lbs/in (6129 N/50 mm)
Tensile Strength (Fill):	700 lbs/in (6129 N/50 mm)

CrossFilm and TEX-LFP are trademarks of TEXTILES COATED INTERNATIONAL. Patents worldwide. This information is supplied in good faith and is based on information currently available. TCI makes NO WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTIES FOR FITNESS, OR USE FOR A PARTICULAR PURPOSE, OR OF ANY MERCHANTABILITY OR AGAINST INFRINGEMENT OR THE LIKE, unless expressly set forth herein.

TEXTILES COATED INTERNATIONAL | Manufacturer of High-Performance Fluoropolymer Films, Laminates, and Composites

200 Bouchard Street, Manchester, NH 03103 USA PHONE: (603) 296-2221 FAX: (603) 296-2248 www.textilescoated.com